Madras® by Galvolux

Exclusive decorative glass

Technical data sheet

Plissé

Base product: patterned glass.

Description and performance: the patterned side is chemically satin-finished, opalescent, very smooth to the touch. Effective visual obscuration, optimal light diffusion, fingerprints-resistant.

Lines direction	Lines width	Lines profile
Parallel to 3210 mm side	5 ± 0,15 mm	
Longitudinal pattern deviation tolerance: 3mm/1m.		

Plisse can also be supplied supplied in the finishes:
-   Plissé-T - Art. 401240/42 (6/8mm)
-   Plissé-M - Art. 401241/37 (6/8 mm)

Internal and external applications: building (façades, parapets...), windows & doors, partitions, furniture, shower-screens etc.

Sheet size and Thickness:
-   Plissé-T/M, 6 mm, 2000 x 3210 mm (usable 1960 x 3170 mm)
-   Plissé-T/M, 8 mm, 2040 x 3210 mm

Colour: clear

Compatible processing: Cutting, grinding, tempering, varnishing etc.

Cleaning: care must be taken when installing the glass not to get putty, resin, sealants, etc., on the treated side. Each of these substances requires a specific solvent for removing traces from glass. For routine maintenance, use water and/or any of the commonly marketed glass detergents. Dry immediately with a clean cloth, preferably micro fibre.

Colours and finishings in the photographs may look slightly different from those of the real products: we recommend that customers examine sample glass before choosing products.

GALVOLUX

QUALITY
AND WARRANTY
SINCE 1900

Madras® by Galvolux

Exclusive decorative glass

Defect acceptance limits: for all defects stemming from production of the base glass, see Standard UNI EN 572-5 (patterned glass).
Acceptance levels for all defects stemming from chemical processing of the glass are as follows:

Defect size/mm	Max no/sheet	average per 20 m2
>0,6 e > 1,5	3	5
>1,5 e > 3,0	1	2
>3,0 e > 9,0	only with customer acceptance	only with customer acceptance

Plissé

Colours and finishings in the photographs may look slightly different from those of the real products: we recommend that customers examine sample glass before choosing products.